





ONE COMPANY, MULTIPLE PRODUCTS.

As an end to end provider, KOMMERLING presents an extensive range of products that are a clear cut above the competition. German engineered and American manufactured, the KOMMERLING brand places great importance on values like quality, reliability, and experience.

Over the years we've built a global reputation for product innovation and excellence, but it's also the people and their passion that makes KOMMERLING USA the perfect partner for your business.



Premium PVC sheets

Quality Trim &

Razor Boards

High performance Window & Door profiles



















SUCCESS THROUGH VISIONARY IDEAS.


"The distinctive Profine approach rests on attention to quality, innovative strength, customer led production and service, efficient processes and an awareness of our responsibilities. Striving for all-round excellence is what drives us, day in day out. Our skilled and highly motivated employees are the foundation of our success – as are the close partnerships we maintain with our customers."

Dr. Peter Mrosik, owner and CEO

KOMATEX[®]

KomaTex[®] free-foam PVC sheets exhibit a highly regular, fine-celled foam structure and a good surface strength. The closed, matte, fine-textured surface presents an excellent substrate for printing, painting, and laminating.


Komatex[®] is the perfect material for realizing creative ideas. It's excellent properties offers the best condition for great design potential.



The multiflexible free skinfoam sheet advertising and design.

Advertising Sector Applications:

- > Signs / Banners
- > Exhibition Stands
- Inscription Panels
- > Showrooms
- Displays
- > Direct Digital Printing
- > Shop Window Decorations
- > Photo Laminations



TODAY FOR TOMORROW

WHITE 1-6MM				Komatex"
Material #	Thickness	Size	Appx Weight (lb)	Pallet Qty.
392184	1mm / .039"	48" x 96"	6	200
392187	1mm / .039"	48" x 120"	7	200
392189	2mm / .078"	48" x 96"	8	200
392190	2mm / .078"	48" x 120"	5	140
392192	2mm / .078"	60" x 120"	6	140
392193	3mm / .118"	48" x 96"	12	150
392197	3mm / .118"	48" x 120"	15	125
392314	3mm / .118"	50" x 99"	13	150
392195	3mm / .118"	60" x 96"	12	125
392199	3mm / .118"	60" x 120"	18	100
392201	4mm / .157"	48" x 96"	15	100
392207	6mm / .236"	48" x 96"	23	75
392209	6mm / .236"	48" x 120"	28	60
392208	6mm / .236"	60" x 96"	24	60
392211	6mm / .236"	60" x 120"	35	50

WHITE 10-25MM				KOMATEX [®]
Material #	Thickness	Size	Appx Weight (lb)	Pallet Qty.
392215	10mm /.393"	48" x 96"	36	50
392435	10mm /.393"	60" x 120"	56	30
392261	12mm / .472"	48" x 96"	41	40
392217	12.7mm / .5"	48" x 96"	45	40
392218	12.7mm / .5"	48" x 120"	56	30
392436	12.7mm / .5"	60" x 120"	70	25
392219	19mm / .748"	48" x 96"	68	30
392221	19mm / .748"	48" x 120"	85	20
464490	19mm / .748"	60" x 120"*	104	15
392223	25mm / 1"	48" x 96"	99	20
392460	25mm / 1"	48" x 120"	124	20

*longer lead times may apply to this item

Kömmerling®

BLACK 2-25MM				KOMA TEX [®]
Material #	Thickness	Size	Appx Weight (lb)	Pallet Qty.
392220	2mm / .078"	48" x 96"	8	200
392226	3mm / .118"	48" x 96"	12	150
392229	3mm / .118"	48" x 120"	15	125
392198	3mm / .118"	60" x 96"	12	125
392230	3mm / .118"	60" x 120"	18	100
392231	6mm / .236"	48" x 96"	23	75
392232	6mm / .236"	48" x 120"	28	60
392236	6mm / .236"	60" x 96"	24	60
392237	6mm / .236"	60" x 120"	35	50
392317	10mm / .393"	48" x 96"	36	50
478956	12mm / .472"	48" x 96"	41	40
392262	12.7mm / .5"	48" x 96"	45	40
392264	12.7mm / .5"	48" x 120"	56	30
397926	12.7mm / .5"	60" x 120"	70	25
392266	19mm / .75"	48" x 96"	68	30
392374	19mm / .75"	48" x 120"	94	20
392225	25mm / 1"	48" x 96"	99	20

Color	Thickness	Size
Light Gray	3mm / .118"	48" x 96"
Dark Gray	6mm / .236"	48" x 96"
Red or Dark Yellow	3mm / .118"	48" x 96"
	6mm / .118"	48" x 96"
Dark Blue	3mm / .118"	48" x 96"
	6mm / .236"	48" x 96"

Light Grey Pantone 421 or RAL 7035


Dark Grey Pantone 423 or RAL 7004

Red Pantone 200 **Dark Yellow** Pantone 136 or RAL 1003 **Dark Blue** Pantone 294 or RAL 5005

KOMALITE[®]

KomaLite® has been developed specifically for the needs of the printing industry. The finely textured surface and the options of both white and black present the perfect base for an excellent printed image on both sides.

Whether series or custom production, punching, trimming, sawing, or cutting: the combination of fine-celled structure and highly stabilising makeup makes KomaLite® a durable, yet lightweight material.



KomaLite: Our recommendation for the best printing results.

Product Highlights:

- > Excellent printing qualities
- > Lightweight
- > 100% recyclable
- > Ideal for punching work
- > Very good for bonding

WHITE 3/6MM				KOMA LITE [®]
Material #	Thickness	Appx. Weight (lbs)	Size	Pallet Qty.
477463	3mm / .118"	10	48" x 96"	150
484012	3mm / .118"	13	48" x 120"	125
481817	3mm / .118"	16	60" x 120"	100
484013	6mm / .236"	20	48" x 96"	75
484014	6mm / .236"	25	48" x 120"	60
481819	6mm / .236"	31	60" x 120"	50

BLACK 3/6MM				KOMA LITE [®]
Material #	Thickness	Appx. Weight (lbs)	Size	Pallet Qty.
484015	3mm / .118"	10	48" x 96"	150
484018	3mm / .118"	13	48" x 120"	125
484019	3mm / .118"	16	60" x 120"	100
484016	6mm / .236"	20	48" x 96"	75
484017	6mm / .236"	25	48" x 120"	60
484020	6mm / .236"	31	60" x 120"	50

KOMACEL®

KomaCel® integral skinfoam sheets combine a strong, solid cover sheet and a celled core of the same material. This perfect balance makes KomaCel® a great material for many applications.

Compared with other products, these sheets exhibit an extremely low thermal conductivity and good sound insulation values. Besides its weather and flame resistance, KomaCel[®] can also be processed with ease thanks to its unique structure.





Applications:

- Vehicle Fittings
- > Outdoor Signage
- > Exhibition Stands

- Cladding
- > Door and Window Elements
- > Cabinetry







We offer 3 different surfaces making KomaCel a material suitable for a great many applications.

GLOSS*				KOMA CEL [®]
Material #	Thickness	Size	Appx Weight (lb)	Pallet Qty.
392162	6mm / .25"	48" x 96"	22	75
392166	10mm / .4"	49" x 96"	37	50
392167	10mm / .4"	49" x 120"	49	50
392168	13mm / .5"	49" x 96"	46	40
392169	13mm / .5"	49" x 120"	57	40
392170	19mm / .75"	49" x 96"	66	30
392171	19mm / .75"	49" x 120"	82	30
392173	24mm / 1"	49" x 96"	83	20
392175	24mm / 1"	49" x 120"	103	20

*Now available unboxed - 4x8 \$2 less per sheet, 4x10 \$3 less per sheet.

SANDED				Koma cel'
Material #	Thickness	Size	Appx Weight (lb)	Pallet Qty.
392636	10mm / .4"	48" x 96"	37	50
392638	13mm / .5"	48" x 96"	46	40
392643	19mm / .75"	48" x 96"	66	30
392646	24mm / 1"	48" x 96"	83	20

WOODGRAIN				Komacel'
Material #	Thickness	Size	Appx Weight (lb)	Pallet Qty.
392651	10mm / .4"	48" x 96"	37	50
392653	13mm / .5"	48" x 96"	46	40
392655	19mm / .75"	48" x 96"	70	30
392656	24mm / 1"	48" x 96"	83	20

Kömmerling®



KOMA ENVIRG

KomaEnviro[®] is resistant against weathering, insects, chemicals and corrosion. Made from up to 50% regrind, our material is designed to be light weight but extremely rigid giving it a longer life span than wood.

KomaEnviro[®] poses no hazard to people or the environment, neither during it's manufacture, while in use, nor during the recycling process.



The eco-friendly wood substitute.made from up to 50% regrind

Application Areas:

- Industrial
- > Underground
- Laminated
- > Fiberglassed
- Sub Floor
- Concrete Forms
- > Agricultural
- Transportation

DARK				KOMA ENVIR©
Material #	Thickness	Size	Appx Weight (lb)	Pallet Qty.
763470	3mm / .118"	48" x 96"	12	150
763471	6mm / .236"	48" x 96"	15	75
759924	10mm /.393"	48" x 96"	36	50
758751	12mm / .472"	48" x 96"	41	40
754713	12.7mm / .5"	48" x 96"	45	40
757809	19mm / .748"	48" x 96"	68	30
751452	25mm / 1"	48" x 96"	99	20



MARINE BOARD

We offer product solutions with exceptional performance characteristics, particularly for the marine industry.

KOMATEX MARINE GRADE

KomaTex[®] Marine Grade is our free foam PVC sheet developed for marine upholstery applications with a matte finish. Additional applications include: interior wood replacement, paneling for cabinets and drawers, overheads, and other stuctural components.

KOMATEX[®] PLUS MARINE GRADE

KomaTex[®] Plus Marine Grade is our free foam lamination grade PVC sheet with an abraded finish. It is ideal for coring applications and compatible with epoxies, polyesters, or polyurethane resins. Other applications include: wood replacement paneling, boat deck coring and recplacement, backing plates, transom replacement, and transom construction.





KomaCel[®] Marine Grade is our integral skin foam PVC sheet developed to feature a high flexural strength, impact resistance, and weight reduction. Featuring a gloss finish, it is perfect for exterior paneling for cabinets, drawers, overheads, and other structural components.



KomaCel® Plus Marine Grade is our lamination grade integral skin foam PVC sheet developed to feature a high flexural strength, impact resistance, and weight reduction. KomaCel® Plus Marine Grade features an abraded finish that is ideal for coring applications and compatible with epoxies, polyesters, or polyurethane resins. Other applications inculde wood replacement paneling, boat deck coring, backing plates, transom replacement, and transom construction.



Kömmerling®


THE MATERIAL MEANT TO LAST A LIFETIME.

CELUKA by KOMA Building Products is the hardest pre-finished building product in the market. It's matte finish looks, feels and works just like wood, but will not dent, ding, swell or rot even under the harshest conditions. Our material outperforms all free foam PVC and is considered a premium product in the building industry.

CELUKA is durable, workable and economical - lasting a lifetime.

Quality PVC Trim made with Celuka Technology —

CELUKA is cut with a precision die and bathed in temperature controlled water for exact thickness and unbelievable durability.



For more information visit komabuildingproducts.com



PRODUCTS

THE MOST COST-EFFECTIVE PVC TRIM AND MOULDINGS

Our Razor PVC Trim and Mouldings are virtually maintenance free and complement all exterior cladding materials, including vinyl, wood, stucco, fiber cement, and brick.

Razor products are preferred by installers due to their lightweight and durable nature and can be installed using ordinary woodworking tools.



- > Easy to install with standard tools
- > Water resistant
- > Bug and insect resistant
- > Rot and mold resistant



TRIMBOARD PRICING

Trim Corners - S	Smooth		
ltem #	Koma Description	Item Description	Corners/Unit
392822	TCT34X0550X10 SM CNR W 654 5-1/2X120X3/4	3/4" x 5.5" x 10'	48
392824	TCT34x0550x20 SM CNR W 654 5-1/2x240x3/4	3/4" x 5.5" x 20'	48
392828	TCT54X0550X20 SM CNR W 654 5-1/2X240X1	5/4" x 5.5" x 20'	24
392827	TCT54X0550X10 SM CNR W 654 5-1/2X120X1	5/4" x 5.5" x 10'	48

Edge and Cent	er Bead		
Item #	Koma Description	Item Description	Pieces/Unit
392840	TECB12X4800X08 ECB W 654 48X96X1/2 (Sheet Stock)	1/2" x 4'x 8'	40
392837	TECB12X0550x18 (Profile)	1/2" x 5-1/2" x 18'	160

Celuka Sheets						
Item #	Koma Description	Item Description	Pieces/Unit			
392773	T38X4800X08 SW 654 48X96X3/8	3/8" x 4' x 8'	50			
392717	T12X4800X08 SW 654 48X96X1/2	1/2" x 4' x 8'	40			
392817	T58X4800X08 SW 654 48X96X5/8	5/8" x 4' x 8'	26			
392757	T34X4800X08 SW 654 48X96X3/4	3/4" x 4' x 8'	24			
392806	T54X4800X08 SW 654 48X96X1	5/4" x 4' x 8'	16			
392774	T38X4800X10 SW 654 48X120X3/8	3/8" x 4' x 10'	50			
392718	T12X4800X10 SW 654 48X120X1/2	1/2" x 4' x 10'	40			
392818	T58X4800X10 SW 654 48X120X5/8	5/8" x 4' x 10'	26			
392758	T34X4800X10 SW 654 48X120X3/4	3/4" x 4' x 10'	24			
392807	T54X4800X10 SW 654 48X120X1	5/4" x 4' x 10'	15			

ltem #	Koma Description	Item Description	Pieces/Unit
Thick x 20'			
392785	T54X0350X20 SW 654 3-1/2X240X1	1" x 3 1/2" x 20'	78
392787	T54X0450X20 SW 654 4-1/2X240X1	1" x 4 1/2" x 20'	60
392790	T54X0550X20 SW 654 5-1/2X240X1	1" x 5 1/2" x 20'	48
392793	T54X0725X20 SW 654 7-1/4X240X1	1" x 7 1/4" x 20'	36
392799	T54X0925X20 SW 654 9-1/4X240X1	1" x 9 1/4'' x 20'	30
392805	T54X1125X20 SW 654 11-1/4X240X1	1" × 11 1/4'' × 20'	24
453385	T54X1525X20 S S 654 15-1/4X240X1	1" x 15-1/2" x 20'	18
Thick x 18'			
392736	T34X0250X18 SW 654 2-1/2X216X3/4	3/4" x 2 1/2" x 18'	144
392740	T34X0350X18 SW 654 3-1/2X216X3/4	3/4" x 3 1/2'' x 18'	104
392743	T34X0450X18 SW 654 4-1/2X216X3/4	3/4" x 4 1/2" x 18'	160
392745	T34X0550X18 SW 654 5-1/2X216X3/4	3/4" x 5 1/2" x 18'	128
392747	T34X0725X18 SW 654 7-1/4X216X3/4	3/4" x 7 1/4" x 18'	96
392749	T34X0925X18 SW 654 9-1/4X216X3/4	3/4" x 9 1/4" x 18'	80
392752	T34X1125X18 SW 654 11-1/4X216X3/4	3/4" x 11 1/4" x 18'	64
392753	T34X1525X18 SW 654 15-1/2X216X3/4	3/4" x 15 1/2" x 18'	48
Thick x 12'			
392739	T34X0350X12 S W 654 3-1/2X144X3/4	1" x 4" x 12'	104
392742	T34X0450X12 S W 654 4-1/2X144X3/4	1" x 5" x 12'	80
392744	T34X0550X12 S W 654 5-1/2X144X3/4	1" x 6" x 12'	64
392746	T34X0725X12 S W 654 7-1/4X144X3/4	1" × 8" × 12'	48
392748	T34X0925X12 S W 654 9-1/4X144X3/4	1" x 10" x 12'	40
392751	T34X1125X12 S W 654 11-1/4X144X3/4	1" x 12" x 12'	32

HIGH PERFORMANCE WINDOWS AND DOORS.

System 70, System 76, and System 88 make up our globally renowned window and door products that set a benchmark for performance. Each featuring enhanced security, energy efficiency and sound reduction, our systems are perfect for any home remodeling or new construction project.

Our range in systems and their variants offer a personalized fit for all design and efficiency needs. Thanks to smart installation methods, your window company can install our profiles safely and cleanly.




We offer a range of options to work with any domestic or commercial building regardless of room type, purpose or furnishings.



From Left to Right: System 70, System 76, and System 88




Tilt and turn window




Residential door



Tilt and turn window with fixed light above



Double swing doors




Tilt and turn window with fixed lights either side




27

STOCK WINDOW PRICING



System 76 MD	Frame Size	Fitting	Glass Makeup	Standard Handle
	35.5" x 71.5"	Fixed in frame	 1.1 Glass structure: 3/17.5/3 Glass 1: Tempered Solarban 70XL, 3mm Glass 2: Tempered Clear, 3mm Gas: Argon Spacer: Kodispace 4SG Spacer color: Black 	
System 76 MD	Frame Size	Fitting	Glass Makeup	Standard Handle
	35.5" x 35.5"	Tilt and turn rh RC1	 1.1 Glass structure: 3/17.5/3 Glass 1: Tempered Solarban 70XL, 3mm Glass 2: Tempered Clear, 3mm Gas: Argon Spacer: Kodispace 4SG Spacer color: Black 	
System 76 MD	Frame Size	Fitting	Glass Makeup	Standard Handle
	47.5" x 59.5"	+ Fixed in frame	1.1 Glass structure: 3/17.5/3 Glass 1: Tempered Solarban 70XL, 3mm Glass 2: Tempered Clear, 3mm Gas: Argon Spacer: Kodispace 4SG Spacer color: Black	
System 76 MD	47.5" x 59.5" Frame Size	+ Fixed in frame	Glass 1: Tempered Solarban 70XL, 3mm Glass 2: Tempered Clear, 3mm Gas: Argon Spacer: Kodispace 4SG	Standard Handle

System 76 MD	Frame Size	Fitting	Glass Makeup	Standard Handle
	35.5" x 59.5"	Tilt and turn rh RC1	1.1 Glass structure: 3/17.5/3 Glass 1: Tempered Solarban 70XL, 3mm Glass 2: Tempered Clear, 3mm Gas: Argon Spacer: Kodispace 4SG Spacer color: Black	
System 76 MD	Frame Size	Fitting	Glass Makeup	Standard Handle
	71.5" x 59.5"	Tilt and turn lh/rh RC1	1.1 Glass structure: 3/17.5/3 Glass 1: Tempered Solarban 70XL, 3mm Glass 2: Tempered Clear, 3mm Gas: Argon Spacer: Kodispace 4SG Spacer color: Black	
System 76 MD	Frame Size	Fitting	Glass Makeup	Standard Handle
	71.5" x 71.5"	Tilt and turn lh/rh RC1	1.1 Glass structure: 3/17.5/3 Glass 1: Tempered Solarban 70XL, 3mm Glass 2: Tempered Clear, 3mm Gas: Argon Spacer: Kodispace 4SG Spacer color: Black	









A COMMITTED APPROACH TO SUSTAINABILITY.

We are committed to developing the newest generations of products with the use of less material, while also improving technical properties. With our recycling program, we have set a benchmark for intelligent material cycles helping to secure a prosperous future for generations to come. Our products and manufacturing methods are designed to protect the oceans and the environment.

Environmental protection and sustainability is an integral part of our daily operations – and this starts at the very beginning by using only the finest raw materials. From an environmental perspective, vinyl can be recycled up to eight times. With a typical lifespan of 25 years, that equates to a 200-year product life cycle.

We take sustainability, the environment and social responsibility just as seriously as you do.







Kommerling USA Inc

3415 Stanwood Blvd, Huntsville, AL 35811, United States Phone: +1 256 851-4099 info@kommerlingusa.com www.kommerlingusa.com