



ARLON



DPF 5200



DPF 500



DPF 4500LX



DPF 390



DPF 8000



PRINT MEDIA PRODUCTS

DPF 6000XRP & SERIES 3220 Overlaminate
Designed and Wrapped By: Raccoon London, Ltd.



USA: a 200 Boysenberry Lane, Placentia, CA 92870, USA

EUROPE: a North Sea Building, Gevers Deynootweg 93, 4th Floor, 2586BK Den Haag, The Netherlands

UK: a P6 Parklands, Heywood Distribution Park, Heywood, Lancashire OL102TT, UK

INDIA: a 4F1 Court Chambers 35, New Marines Lines, Mumbai 400 020, India

p 800 232 7161 / 714 985 6300

p +31 0 70 354 4311

p +44 0 161 884 0592

p +91 99 6755 3895

f 800 329 2756

f +31 0 70 355 7721

f +31 0 70 355 7721

arlon.com

January 2015

AUTOMOTIVE



Designed and Wrapped in DPF 6000XRP and Series 3220 by:

RACCOON
EFFECTIVE VEHICLE WRAPPING



DPF 4600LX

► DPF 6000XRP

No Primer, No Problem

DPF 6000XRP is a gloss white cast film with bubble releasing, tinted, repositionable, permanent pressure-sensitive adhesive. The X-Scape system allows installers to achieve speedy installation while maintaining high enough tack to ensure long-term bond. Designed for large format graphics, DPF 6000XRP is made of premium quality cast face stock with a lay-flat liner. The adhesive system is designed to provide excellent opacity as well as easy installation. The film provides superior conformability around rivets, curves and contours. DPF 6000XRP is rated for outdoor durability up to 7 years (unprinted). Printed durability is dependent on the ink system used.

For more information on DPF 6000XRP, click [here](#).

Certified for
HP Latex Inks

FACE FILM THICKNESS

Cast Vinyl
2-Mil (50 Micron)

ADHESIVE

Clean Removing,
Repositionable
(Light Gray)

RELEASE LINER

Lay-Flat Polycoated
with X-Scape Technology

FINISH

Gloss

FILM LIFE (UNPRINTED)

7 Years

AVAILABLE WIDTHS

30" / 48" / 54" / 60"

AVAILABLE LENGTHS

60' ♦ / 150'

COMPATIBLE OVERLAM

Series 3220
Series 3210
Series 3200

PRINTER COMPATIBILITY

Eco-Solvent / Solvent
UV / Latex

APPLICATIONS

Fleet
Full Vehicle Wraps
Partial Vehicle Wraps

	DPF 6000XRP	DPF 4600LX	DPF 6000RP WHITE	DPF 4300	DPF 45WF
DESCRIPTION	Premium Cast Film with X-Scape Technology	Premium Wrap Film	Premium Cast Film	Intermediate Multi-Purpose Removable Film	One-Way View Window Film
FACE FILM THICKNESS	Cast Vinyl 2-Mil (50 Micron)	High Performance Vinyl 3.2-Mil (80 Micron)	Cast Vinyl 2-Mil (50 Micron)	Calendered Vinyl 3.5-Mil (90 Micron)	Calendered Vinyl 6-Mil (150 Micron)
ADHESIVE	Clean Removing, Repositionable (Light Gray)	Clean Removing, Repositionable (Light Gray)	Clean Removing, Repositionable (Light Gray)	Removable (Clear)	Clean Removing, Low Tack (Clear)
RELEASE LINER	Lay-Flat Polycoated with X-Scape TECHNOLOGY	Lay-Flat Polycoated with Low Profile X-Scape TECHNOLOGY	Lay-Flat Polycoated	Lay-Flat Polycoated	Lay-Flat Polycoated
FINISH	Gloss	Gloss	Gloss	Matte	Satin
APPLICATIONS	Fleet Full Vehicle Wraps Partial Vehicle Wraps	Partial Fleet Wraps Partial Vehicle Wraps Vehicle Decals	Fleet Full Vehicle Wraps Partial Vehicle Wraps	Painted Walls Windows Removable Vehicle Decals	One-Way Window Graphics Vehicle Window Graphics 60/40 Perf Pattern
FILM LIFE (UNPRINTED)	7 Years	5 Years	7 Years	4 Years	1 Year
AVAILABLE WIDTHS	30" / 48" / 54" / 60"	30" / 54" / 60"	30" / 48" / 54" / 60"	54"	54" / 60"
AVAILABLE LENGTHS	60' ♦ / 150'	150'	60' ♦ / 150'	150'	164'
COMPATIBLE OVERLAM	Series 3220 Series 3210 Series 3200	Series 3210 Series 3220	Series 3220 Series 3210 Series 3200	Series 3220	Series 3200
PRINTER COMPATIBILITY	Eco-Solvent / Solvent UV / Latex Certified for HP Latex Inks	Eco-Solvent / Solvent UV / Latex Certified for HP Latex Inks	Eco-Solvent / Solvent UV / Latex	Eco-Solvent / Solvent UV / Latex	Eco-Solvent Solvent / UV

♦ Only available in 54" width.

BUILDING WRAPS



▶ **DPF 8000**
*The Hard-to-Stick
Surface Solution*

DPF 8000 is the ultimate premium film for hard to stick surfaces. A durable film combined with a high tack adhesive system allows you to use one film for all your difficult projects from plastic dirt bikes to textured wall graphics. Apply DPF 8000 with heat on textured wall graphics and it will conform to slight contours and textures easily. Match up DPF 8000 with one of our many overlaminate options to customize the finish of your hard-to-stick surface projects.

For more information on DPF 8000, click [here](#).

Certified for
HP Latex Inks

FACE FILM THICKNESS

Calendered Vinyl
3.5-Mil (90 Micron)

ADHESIVE

High Tack Adhesive for
Hard-to-Stick
Surfaces (Clear)

RELEASE LINER

Lay-Flat Polycoated

FINISH

Satin

FILM LIFE (UNPRINTED)

7 Years

AVAILABLE WIDTHS

30" / 49" / 54" / 60"

AVAILABLE LENGTHS

150' / 300'

COMPATIBLE OVERLAM

Series 3220 / Series 3210
Series 3420 / Series 3590

PRINTER COMPATIBILITY

Eco-Solvent / Solvent
UV / Latex

APPLICATIONS

Wall Murals
ABS Plastics
Rough Surfaces
Brick, Concrete
and Stucco Walls

Wrapped in DPF 47WF by:
OFF THE WALL
Signs & Graphics



	DPF 8000	DPF 6700	DPF 47WF
DESCRIPTION	Industrial Grade Film with Adhesive for Hard-to-Stick Surfaces	Premium Cast Wall Wrap Film	One-Way View Window Film
FACE FILM THICKNESS	Calendered Vinyl 3.5-Mil (90 Micron)	Cast Vinyl 2-Mil (50 Micron)	Calendered Vinyl 6-Mil (150 Micron)
ADHESIVE	High Tack Adhesive for Hard-to-Stick Surfaces (Clear)	Permanent (Clear)	Clean Removing Low Tack (Clear)
RELEASE LINER	Lay-Flat Polycoated	Lay-Flat Polycoated	Lay-Flat Polycoated
FINISH	Satin	Gloss	Satin
APPLICATIONS	Wall Murals ABS Plastics Rough Surfaces Brick, Concrete and Stucco Walls	Wall Murals Hard-to-Stick Surfaces Unpainted Brick, Concrete and Stucco Walls	One-Way Window Graphics Building Window Graphics 70/30 Perf Pattern
FILM LIFE (UNPRINTED)	7 Years	7 Years	1 Year
AVAILABLE WIDTHS	30" / 49" / 54" / 60"	30" / 48" / 54" / 60"	54" / 60"
AVAILABLE LENGTHS	150' / 300'	150'	164'
COMPATIBLE OVERLAM	Series 3220 / Series 3210 Series 3420 / Series 3590	Series 3220 / Series 3210 Series 3200	Series 3200
PRINTER COMPATIBILITY	Eco-Solvent / Solvent UV / Latex <div>Certified for HP Latex Inks</div>	Eco-Solvent / Solvent UV / Latex	Eco-Solvent Solvent / UV

INTERIOR DÉCOR



DPF 5200

▶ DPF 5200

Premium Decorative Window Film

DPF 5200 is a premium decorative film that simulates an etched glass finish for interior or exterior applications. Available in three standard finishes, DPF 5200 is an ideal film to transform glass or clear substrates into elegant designs. Further customize graphics by printing on any of the finishes with standard digital print systems. DPF 5200 is the perfect choice for projects where a high quality film for decorative etched glass designs is required.

For more information on DPF 5200, click [here](#).

FACE FILM THICKNESS

Cast Vinyl
2-Mil (50 Micron)

ADHESIVE

Permanent (Clear)

RELEASE LINER

Lay-Flat Synthetic

FINISH

Standard Etched Glass
Silver Etched Glass
Sparkle Etched Glass

FILM LIFE (UNPRINTED)

7 Years

AVAILABLE WIDTHS

24" / 30" / 48" / 60"

AVAILABLE LENGTHS

30' / 150'

PRINTER COMPATIBILITY

Eco-Solvent / Solvent / Latex

APPLICATIONS

Window Graphics
Mirrors
Partitions
Glass or Clear Substrates
Interior & Exterior Applications

	DPF 5200	DPF 206	DPF 207	DPF 4300
DESCRIPTION	Printable Etched Glass Cast Window Film	Removable Coated Wall Fabric	Removable Wall Decoration Film	Intermediate Multi-Purpose Removable Film
FACE FILM THICKNESS	2-Mil (50 Micron)	6-Mil (150 Micron)	6-Mil (150 Micron)	Calendered Vinyl 3.5-Mil (90 Micron)
ADHESIVE	Permanent (Clear)	Removable (Clear)	Removable (Clear)	Removable (Clear)
RELEASE LINER	Lay-Flat Synthetic	Lay-Flat Polycoated	Lay-Flat Polycoated	Lay-Flat Polycoated
FINISH	Standard Etched Glass Silver Etched Glass Sparkle Etched Glass	Matte	Matte	Matte
APPLICATIONS	Window Graphics Mirrors Partitions Glass or Clear Substrates Interior & Exterior Applications	Indoor Advertising POP Trade Shows Retail Home Décor	Indoor Advertising POP Trade Shows Retail Home Décor	Painted Walls Windows Removable Vehicle Decals
FILM LIFE (UNPRINTED)	7 Years	1 Year	1 Year	4 Years
AVAILABLE WIDTHS	24" / 30" / 48" / 60"	54"	54"	54"
AVAILABLE LENGTHS	30' / 150'	100'	150'	150'
COMPATIBLE OVERLAMINATE	N/A	N/A	N/A	Series 3220
PRINTER COMPATIBILITY	Eco-Solvent Solvent / Latex	Eco-Solvent Solvent / UV	Eco-Solvent Solvent / UV	Eco-Solvent / Solvent UV / Latex



DPF 390

▶ DPF 390

Durable Flex, Versatile Decoration Methods

DPF 390 is a heavy weight white media for back illuminated signage and awnings. The material lights up brightly and uniformly whether it is used in a fluorescent or LED lighting system. This soft, flexible substrate is easy to work with and can be installed in a variety of tensioning systems. The smooth surface can be decorated with a wide variety of methods – direct print using Eco-Solvent, Solvent, UV and Latex digital inks, screen printing, heat transfer vinyl and pressure sensitive translucent vinyl application. DPF 390 is designed to handle high ink saturation for single-sided or double-sided printing without incurring additional material stretch.

For more information on DPF 390, click [here](#).

FACE FILM THICKNESS
19.5-oz

YARN
500 x 500 Denier
18 x 18 Thread Count

FINISH
Satin

FILM LIFE (UNPRINTED)
6 Years

AVAILABLE WIDTHS
3'6" / 4'6" / 6'6" / 8'6"
10'6" / 12'6" / 16'4"

AVAILABLE LENGTHS
164'

PROTECTIVE COATING
Acrylic

PRINTER COMPATIBILITY
Eco-Solvent / Solvent
UV / Latex

APPLICATIONS
Backlit Illuminated Signs
LED or Fluorescent Light Boxes
Awnings

BACKLIT IDENTITY SIGNAGE



DPF 350



DPF 6000RP CLEAR

	DPF 390	DPF 350 / DPF 355 †	DPF 380 / DPF 385 †	DPF 6000RP CLEAR	DPF 6500
DESCRIPTION	Backlit Printable Flex	Smooth Promotional (Backlit)	Smooth Promotional (Backlit)	Premium Clear Cast Film	Premium Translucent Cast Film
FACE FILM THICKNESS	19.5-oz White Polyester Scrim	15-oz White Polyester Scrim	18-oz White Polyester Scrim	Cast Vinyl 2-Mil (50 Micron)	Cast Vinyl 2-Mil (50 Micron)
YARN	500 x 500 Denier 18 x 18 Thread Count	500 x 500 Denier	500 x 500 Denier	N/A	N/A
ADHESIVE	N/A	N/A	N/A	Permanent (Clear)	Permanent (Clear)
RELEASE LINER	N/A	N/A	N/A	Lay-Flat Polycoated	Lay-Flat Polycoated
FINISH	Satin	Gloss	Gloss	Gloss	Gloss
APPLICATIONS	Backlit Illuminated Signs LED or Fluorescent Light Boxes Awnings	Backlit Illuminated Signs Indoor/Outdoor Advertising Short-Term Applications	Backlit Illuminated Signs Indoor/Outdoor Advertising Short-Term Applications	Windows Second Surface Signs	Backlit Illuminated Signs POP Displays
FILM LIFE (UNPRINTED)	6 Years	DPF 350 - 1 Year DPF 355 - 3 Years	DPF 380 - 1 Year DPF 385 - 3 Years	7 Years	7 Years
AVAILABLE WIDTHS	3'6" / 4'6" / 6'6" / 8'6" 10'6" / 12'6" / 16'4"	Custom order 38" to 196"	Custom order 38" to 196"	30" / 48" / 54" / 60"	30" / 48" / 54" / 60"
AVAILABLE LENGTHS	164'	Custom order up to 164'	Custom order up to 164'	150'	60' ♦ / 150'
COMPATIBLE OVERLAMINATE	N/A	N/A	N/A	Series 3200	Series 3210 / Series 3220 Series 3200 / Series 3350
PRINTER COMPATIBILITY	Eco-Solvent / Solvent UV / Latex	Eco-Solvent Solvent / UV	Eco-Solvent Solvent / UV	Eco-Solvent Solvent / UV	Eco-Solvent Solvent / UV

♦ Only available in 54" width. †DPF 350/DPF 355 and DPF 380/DPF 385 are only available in container orders.

COMMERCIAL SIGNAGE



DPF 4500LX

Low Cost + Low Profile Air Egress

DPF 4500LX is an easy to install solution for your short to medium-term permanent applications. The bright white gloss finish has built in opacity to maintain the integrity of the printed graphic. Permanent adhesive with low profile X-Scape Technology allows for easy installation and long-term bond. DPF 4500LX is the best value air egress vinyl for everyday sign applications.

For more information on DPF 4500LX, click [here](#).

FACE FILM THICKNESS
Calendered Vinyl
3-Mil (75 Micron)

ADHESIVE
Permanent, Opaque
(Light Gray)

RELEASE LINER
Lay-Flat Polycoated
with low profile X-Scape
Technology

FINISH
Gloss

FILM LIFE (UNPRINTED)
5 Years

AVAILABLE WIDTHS
30" / 48" / 54" / 60"

AVAILABLE LENGTHS
150'

COMPATIBLE OVERLAM
Series 3420

PRINTER COMPATIBILITY
Eco-Solvent / Solvent
UV / Latex

APPLICATIONS
POP Displays
Flat Surfaces
Medium-Term Graphics

	DPF 4500LX / GX	DPF 4560GTX / MTX	DPF 4560GT / MT	DPF 4500G WHITE / CLEAR
DESCRIPTION	Intermediate Digital Film with X-Scape Technology	Intermediate Digital Film with X-Scape Technology	Intermediate Digital Film	Intermediate Digital Film
FACE FILM THICKNESS	Calendered Vinyl 3-Mil (75 Micron)	Calendered Vinyl 3-Mil (75 Micron)	Calendered Vinyl 3-Mil (75 Micron)	Calendered Vinyl 3-Mil (75 Micron)
ADHESIVE	Permanent, Opaque LX - (Light Gray) GX - (Clear)	Permanent, Opaque GTX - (Light Gray) MTX - (Dark Gray)	Permanent, Opaque (Dark Gray)	Permanent (Clear)
RELEASE LINER	Lay-Flat Polycoated with X-Scape TECHNOLOGY	Lay-Flat Polycoated with X-Scape TECHNOLOGY	Lay-Flat Polycoated	DPF 4500G White (Clay Coated) DPF 4500G/M Clear (Lay-Flat Polycoated)
FINISH	Gloss	Gloss / Matte	Gloss / Matte	Gloss / Gloss Clear Matte Clear
APPLICATIONS	POP Displays Flat Surfaces Medium-Term Graphics	POP Displays Outdoor Signage Medium-Term Graphics Tradeshow Graphics	POP Displays Outdoor Signage Blockout Applications Mounted Prints Medium-Term Graphics	POP Displays Second Surface ♦ Windows ♦ Medium-Term Graphics
FILM LIFE (UNPRINTED)	5 Years	5 Years	5 Years	5 Years
AVAILABLE WIDTHS	30" / 48" / 54" / 60"	30" / 48" / 54" / 60"	30" / 48" / 54" / 60"	30" / 48" / 54" / 60"
AVAILABLE LENGTHS	150'	150'	150'	150'
COMPATIBLE OVERLAM	Series 3420	Series 3420 Series 3220 Series 3210	Series 3420 Series 3220 Series 3210	DPF 4500G White (Series 3420) DPF 4500G/M Clear (Series 3200)
PRINTER COMPATIBILITY	Eco-Solvent / Solvent UV / Latex	Eco-Solvent / Solvent UV / Latex * Certified for HP Latex Inks	Eco-Solvent / Solvent UV / Latex	Eco-Solvent / Solvent UV / Latex ▲

* DPF 4560GTX is certified for HP Latex Inks. ♦ Use with DPF 4500G/M Clear. ▲ Not compatible with DPF 4500G White.



PREMIUM GRAPHIC OVERLAMINATES



Series 3210 Overlaminate with DPF 8000 White



Series 3420 Overlaminate with DPF 4500G White

► Series 3220

Multiple Finishes, Consistent Performance

Series 3220 overlaminates are premium cast protective films available in multiple finishes to help customize your graphics. Designed to protect and prolong the life of printed images, Series 3220 can be used on day to day signage as well as your specialty applications. Customize your images by choosing from the Gloss, Luster, Satin and Matte finishes. Regardless of the finish you select, Series 3220 offers the same performance and durability. Match up with Arlon's print media films to produce vibrant graphics.

For more information on Series 3220, click [here](#).

FACE FILM THICKNESS

Cast Vinyl
2-Mil (50 Micron)

ADHESIVE

Permanent (Clear)

RELEASE LINER

Clay Coated

FINISH

Gloss / Luster
Satin / Matte

FILM LIFE (UNPRINTED)

7 Years

AVAILABLE WIDTHS

30" / 48" / 54" / 60"

AVAILABLE LENGTHS

60' ♦ / 150'

RECOMMENDED VINYL

DPF 6000XRP
DPF 6000RP White
DPF 6500
DPF 6700
DPF 4600LX
DPF 4560GTX
DPF 4300
DPF 8000

	SERIES 3220	SERIES 3210	SERIES 3420
DESCRIPTION	Premium Cast Overlaminate	Premium Cast Overlaminate	Premium Calendered Overlaminate
FACE FILM THICKNESS	Cast Vinyl 2-Mil (50 Micron)	Cast Vinyl 1.3-Mil (35 Micron)	Calendered Vinyl 3-Mil (75 Micron)
ADHESIVE	Permanent (Clear)	Permanent (Clear)	Permanent (Clear)
RELEASE LINER	Clay Coated	Clay Coated	Clay Coated
FINISH	Gloss / Luster / Satin / Matte	Gloss	Gloss / Satin / Matte
RECOMMENDED VINYL	DPF 6000XRP DPF 6000RP White DPF 6500 DPF 6700 DPF 4600LX DPF 4560GTX DPF 4300 DPF 8000	DPF 6000XRP DPF 6000RP White DPF 6500 DPF 6700 DPF 8000 DPF 4600LX	DPF 4570GTX DPF 4560GTX / MTX DPF 4560GT / MT DPF 4500LX / GX DPF 4500G White DPF 8000
FILM LIFE (UNPRINTED)	7 Years	7 Years	5 Years
AVAILABLE WIDTHS	30" / 48" / 54" / 60"	30" / 48" / 54" / 60"	30" / 48" / 54" / 60"
AVAILABLE LENGTHS	60' ♦ / 150'	150'	60' ♦ / 150'

♦ Only available in 54" width.

SPECIALTY OVERLAMINATES



Wrapped in Series 3590 Overlaminate with DPF 8000 White by:



Series 3350 Overlaminate with DPF 390

► Series 3590 Heavy Duty Protection

Series 3590 is a heavy duty overlaminate perfect for protecting graphics where extra abrasion resistance is required. The added thickness of the laminate makes application of decals easy. Series 3590 is the ultimate protection option to extend the life of decals while providing a high gloss finish. Combine with our DPF 8000 for a vibrant, long lasting graphic to decorate your motocross bikes.

For more information on Series 3590, click [here](#).

	SERIES 3590	SERIES 3200	SERIES 3350
DESCRIPTION	Heavy Duty Calendered Overlaminate	High Gloss Optically Clear Cast Overlaminate	Anti-Graffiti PVDF
FACE FILM THICKNESS	Calendered Vinyl 12-Mil (305 Micron)	Cast Vinyl 2-Mil (50 Micron)	PVDF 2-Mil (50 Micron)
ADHESIVE	Permanent (Clear)	Permanent (Clear)	Permanent (Clear)
RELEASE LINER	Clay Coated Kraft Liner	Polyester	Lay-Flat Polycoated
FINISH	Gloss	Gloss	Satin
RECOMMENDED VINYL	DPF 8000	DPF 6000XRP DPF 6000RP White DPF 6000RP Clear DPF 6500 DPF 6700 DPF 4500G/M Clear DPF 2400 DPF 45WF DPF 47WF DPF 50WD Clear	Most DPF and Screenprint Films
FILM LIFE (UNPRINTED)	2 Years	7 Years	10 Years
AVAILABLE WIDTHS	54" / 60"	30" / 54" / 60"	49" / 54"
AVAILABLE LENGTHS	30' / 75'	25' ♦ / 60' ♦ / 100' / 150'	150'

♦ Only available in 54" width.

FACE FILM THICKNESS

Calendered Vinyl
12-Mil (305 Micron)

ADHESIVE

Permanent (Clear)

RELEASE LINER

Clay Coated Kraft Liner

FINISH

Gloss

FILM LIFE (UNPRINTED)

2 Years

AVAILABLE WIDTHS

54" / 60"

AVAILABLE LENGTHS

30' / 75'

RECOMMENDED VINYL

DPF 8000



Wrapped in Series 3200 Overlaminate with DPF 2400 by: 3M

PROMOTIONAL



DPF 500



DPF 540

► DPF 500

Low Cost, General Purpose

DPF 500 is a low cost solution for your short-term, permanent applications. It is available in either flat matte or high gloss finish in both white and clear vinyl. DPF 500 has a solvent based adhesive that provides better adhesive and cohesive strength. Choose between clear or gray-tinted adhesive for additional opacity. DPF 500 is the best value vinyl for every day, flat surface applications.

For more information on DPF 500, click [here](#).

FACE FILM THICKNESS

Calendered Vinyl
3-Mil (75 Micron)

ADHESIVE

Removable or Permanent
(Clear)
Removable or Permanent
(Gray-Tinted)

RELEASE LINER

Kraft Liner

FINISH

Matte / Gloss / Gloss Clear

FILM LIFE (UNPRINTED)

2 Years

AVAILABLE WIDTHS

30" / 54" / 60"

AVAILABLE LENGTHS

150' / 164'

COMPATIBLE OVERLAM


DPF 500 Clear


PRINTER COMPATIBILITY

Eco-Solvent / Solvent / UV

APPLICATIONS

Short-Term Signage
Real Estate
POP
Trade Shows
Kiosks

	DPF 500	DPF 540	DPF 50WD WHITE / CLEAR	DPF 208 	DPF 210 / 210PB	DPF 215
DESCRIPTION	Calendered Promotional Film	Calendered Promotional Film	Removable Window Decal Film	Eco Roll-Up Polypropylene	Roll-Up Xtreme Polyester	Pop-Up Film
FACE FILM THICKNESS	Calendered Vinyl 3-Mil (75 Micron)	Calendered Vinyl 4-Mil (100 Micron)	Calendered Vinyl 3.5-Mil (90 Micron) White 4-Mil (100 Micron) Clear	8-Mil (200 Micron)	9.8-Mil (250 Micron)	14.5-Mil (370 Micron)
ADHESIVE	Removable or Permanent (Clear) Removable or Permanent (Gray-Tinted)	Removable or Permanent (Clear) Removable or Permanent (Gray-Tinted)	Removable (Clear)	N/A	N/A	N/A
OPACITY	N/A	N/A	N/A	80%	90%	90%
RELEASE LINER	Kraft Liner	Kraft Liner	Lay-Flat Polycoated	N/A	N/A	N/A
FINISH	Matte / Gloss Gloss Clear	Matte / Gloss	DPF 50WD White - Matte DPF 50WD Clear - Gloss	Satin	Satin / Pebble ▲	Satin
APPLICATIONS	Short-Term Signage Real Estate POP Trade Shows Kiosks	Short-Term Signage Real Estate POP Trade Shows Kiosks	Window Decals & Displays Appliance Decals High Energy Surfaces Horizontal Application (Non-Floor Graphics)	Indoor Advertising POP Trade Shows Retail Roll-Up Displays	Indoor Advertising POP Trade Shows Retail Roll-Up Displays	Indoor Advertising POP Trade Shows Retail
FILM LIFE (UNPRINTED)	2 Years	2 Years	DPF 50WD White 2 Years DPF 50WD Clear 1 Year	1 Year	1 Year	1 Year
AVAILABLE WIDTHS	30" / 54" / 60" ♦	30" / 54" / 60"	54" / 60"	36" / 50"	36" / 50" / 60"	36"
AVAILABLE LENGTHS	150' / 164' ♦	150'	150'	98'	98' / 164'	98'
COMPATIBLE OVERLAM	DPF 500 Clear	DPF 500 Clear	Series 3420 / Series 3200	N/A	N/A	N/A
PRINTER COMPATIBILITY	Eco-Solvent Solvent / UV	Eco-Solvent Solvent / UV	Eco-Solvent / Solvent UV / Latex	Eco-Solvent Solvent	Eco-Solvent Solvent	Eco-Solvent Solvent

▲ Pebble finish available in 36" and 50" width X 98' length only.  Environmentally Friendly. ♦ Custom order other sizes.



▶ DPF 313

Multi-Purpose Banner

DPF 313 is a front lit 13-oz., snow white, scrim PVC banner. Available in matte or high gloss, both finishes are smooth and yield high print resolution and image quality. DPF 313 is available in 1000 denier and features superior lay flat, curl resistant and tear resistant properties.

For more information on DPF 313, click [here](#).

Certified for
HP Latex Inks

FACE FILM THICKNESS

13-oz
White Polyester Scrim

YARN

1000D

OPACITY

97%

FINISH

Gloss / Matte

FILM LIFE (UNPRINTED)

1 Year

AVAILABLE WIDTHS

30" / 38" / 48" / 54"
60" / 63" / 72" / 98"
126" / 196" (1000D)
Custom order other sizes

AVAILABLE LENGTHS

120' (1000D)
150' (1000D)
164' (1000D≥72")
Reverse Wound
(1000D≥72")
Custom order other sizes ▲

PRINTER COMPATIBILITY

Eco-Solvent / Solvent
UV / Latex

APPLICATIONS

Indoor/Outdoor Advertising
Billboards (1000D)
Stadium Graphics

PROMOTIONAL BANNER



DPF 303



DPF 310BB

	DPF 313	DPF 303	DPF 308*†	DPF 310BB	DPF 315	DPF 318
DESCRIPTION	Front Lit Smooth Promotional Banner	Super Smooth Blockout, Double Sided	Mesh with or without PVC liner	Front-Lit Lightweight Black-Back	Economical Double Sided (Blockout)	Intermediate Double Sided (Blockout)
FACE FILM THICKNESS	13-oz White Polyester Scrim	13-oz White Polyester Scrim	8-oz White Polyester Mesh	9-oz White Polyester Scrim	15-oz White Polyester Scrim	18-oz White Polyester Scrim
YARN	1000D	250D	1000D	1000D	500D	1000D
OPACITY	97%	100%	N/A	100%	100%	100%
FINISH	Gloss / Matte	Satin	Matte	Matte	Gloss / Matte ♦	Gloss / Matte ♦
APPLICATIONS	Indoor/Outdoor Advertising Billboards (1000D) Stadium Graphics	Merchandising Displays High-Res. Graphics	Indoor Merchandising Film, TV, Theater Outdoor Advertising Building Wraps	Billboards Outdoor Advertising Short-Term Graphics	Indoor/Outdoor Advertising Billboards Indoor Hanging Graphics	Flag Poles Indoor/Outdoor Advertising Indoor/Outdoor Hanging Graphics
FILM LIFE (UNPRINTED)	1 Year	1 Year	1 Year	1 Year	1 Year	1 Year
AVAILABLE WIDTHS	30" / 38" / 48" / 54" / 60" / 63" / 72" / 98" / 126" / 196" (1000D) Custom order other sizes	38" / 54" / 62" / 102" / 126" Custom sizes available	Custom Order 54" - 196"	126" / 196" Custom order other sizes	38" / 54" / 62" Custom order other sizes up to 196"	38" / 54" Custom order other sizes up to 196"
AVAILABLE LENGTHS	120' (1000D) 150' (1000D) 164' (1000D≥72") Reverse Wound (1000D≥72") Custom order other sizes ▲	150' Custom order other sizes up to 164'	150* Custom order other sizes up to 164'	164' Custom order other sizes	150' Custom order other sizes up to 164'	75' / 150' Custom order other sizes up to 164'
PRINTER COMPATIBILITY	Eco-Solvent Solvent UV / Latex Certified for HP Latex Inks	Eco-Solvent Solvent UV / Latex	Eco-Solvent Solvent / UV	Eco-Solvent Solvent / UV	Eco-Solvent Solvent UV / Latex	Eco-Solvent Solvent UV / Latex

*DPF 308 (15% Air Flow). ▲ 72" or greater available in 164' and reverse wound. ♦ Double-sided printed recommended on Matte.
†DPF 308 is only available in container orders.



DPF 2400 with Series 3200 Overlaminate

► **DPF 2400**
Eye Popping Images, Long Lasting Results

DPF 2400 is a premium digitally printable reflective film, with a clear permanent adhesive. A conformable formulation designed for decoration of decals on fleet and vehicles. Combine with Series 3200, optically clear overlaminate to add a high gloss finish and protect graphics for long lasting results. Brighten up your vehicle graphics at night with DPF 2400.

For more information on DPF 2400, click [here](#).

- FACE FILM THICKNESS**
Opaque Reflective Vinyl
5-Mil (125 Micron)

ADHESIVE
Permanent
(Clear)

RELEASE LINER
Lay-Flat Polycoated

FINISH
Gloss
- FILM LIFE (UNPRINTED)**
7 Years

AVAILABLE WIDTHS
48.5"

AVAILABLE LENGTHS
30' / 150'

COMPATIBLE OVERLAM
Series 3200
- PRINTER COMPATIBILITY**
Eco-Solvent / Solvent

APPLICATIONS
Vehicle Decals
Fleet Markings

	DPF 2400	DPF 9000	DPF 4000	DPF 2000
DESCRIPTION	Fleet Grade** Digitally Printable Reflective Film	Industrial Grade Film	Industrial Grade Film	Industrial Grade Film
FACE FILM THICKNESS	Opaque Reflective Vinyl 5-Mil (125 Micron)	Opaque Calendered Vinyl 3.5-Mil (90 Micron)	Opaque Calendered Vinyl 3.5-Mil (90 Micron)	Opaque Calendered Vinyl 3.5-Mil (90 Micron)
ADHESIVE	Permanent (Clear)	Heat, Solvent Resistant Permanent (Clear)	Permanent (Clear)	Removable (Clear)
RELEASE LINER	Lay-Flat Polycoated	Lay-Flat Polycoated	Lay-Flat Polycoated	Lay-Flat Polycoated
FINISH	Gloss	Satin	Satin	Satin
APPLICATIONS	Vehicle Decals Fleet Markings	Gasoline Pumps Recreational Vehicles Fleet Markings Boats	Rail/Ocean Containers POP Displays Fleet Markings Recreational Vehicles	Bus/Transit Graphics Removable Interior Wall Graphics Billboards Die-Cut Letters
FILM LIFE (UNPRINTED)	7 Years	7 Years	7 Years	7 Years
AVAILABLE WIDTHS	48.5"	30" / 49" / 54" / 60"	30" / 49" / 54" / 60"	30" / 49" / 54" / 60"
AVAILABLE LENGTHS	30' / 150'	150'	150'	150'
COMPATIBLE OVERLAM	Series 3200	Series 3420 / Series 3220	Series 3420 / Series 3220	Series 3420 / Series 3220
PRINTER COMPATIBILITY	Eco-Solvent / Solvent	Eco-Solvent / Solvent UV / Latex	Eco-Solvent / Solvent UV / Latex	Eco-Solvent / Solvent UV / Latex

**Fleet grade exceeds engineering standards.

ABOUT ARLON GRAPHICS



ARLON GRAPHICS

CREATING INNOVATIVE MATERIALS FOR VISUAL EXPRESSION

Arlon, established in 1958 near Los Angeles, California, is a leading global manufacturer of pressure sensitive adhesive vinyls for the sign and graphics industry. As one of the world's most experienced casting companies, Arlon has gained a worldwide reputation for quality and innovation.

Visit: **WRAPITRIGHT.COM** INDUSTRY LEADING "HOW TO" VIDEOS

Powered By: **ARLON**

PRODUCT INDEX

CATEGORY	PRODUCT	APPLICATIONS	PAGES
PREMIUM CAST FILM (OPAQUE, CLEAR & TRANSLUCENT)	DPF 6000XRP	AUTOMOTIVE	2
	DPF 6000RP WHITE	AUTOMOTIVE	2
	DPF 6000RP CLEAR	BACKLIT IDENTITY SIGNAGE	8
	DPF 6500	BACKLIT IDENTITY SIGNAGE	8
	DPF 6700	BUILDING WRAPS	4
PREMIUM SPECIALTY FILMS	DPF 8000	BUILDING WRAPS	4
	DPF 4600LX	AUTOMOTIVE	2
	DPF 4300	AUTOMOTIVE, INTERIOR DECOR	2, 6
	DPF 2400	INDUSTRIAL	20
WINDOW FILMS	DPF 45WF	AUTOMOTIVE	2
	DPF 47WF	BUILDING WRAPS	4
	DPF 50WD WHITE / CLEAR	PROMOTIONAL	16
INTERMEDIATE CALENDERED FILMS	DPF 4500LX / GX	COMMERCIAL SIGNAGE	10
	DPF 4560GTX / MTX	COMMERCIAL SIGNAGE	10
	DPF 4560GT / MT	COMMERCIAL SIGNAGE	10
	DPF 4500G WHITE / CLEAR	COMMERCIAL SIGNAGE	10
INDUSTRIAL GRADE FILMS	DPF 9000	INDUSTRIAL	20
	DPF 4000	INDUSTRIAL	20
	DPF 2000	INDUSTRIAL	20
PROMOTIONAL & INTERIOR FILMS	DPF 500	PROMOTIONAL	16
	DPF 540	PROMOTIONAL	16
	DPF 206	INTERIOR DÉCOR	6
	DPF 207	INTERIOR DÉCOR	6
	DPF 208	PROMOTIONAL	16
	DPF 210 / DPF 210PB	PROMOTIONAL	16
	DPF 215	PROMOTIONAL	16
	DPF 5200	INTERIOR DÉCOR	6
BANNER & FLEXIBLE SUBSTRATES	DPF 303	PROMOTIONAL BANNER	18
	DPF 308	PROMOTIONAL BANNER	18
	DPF 310BB	PROMOTIONAL BANNER	18
	DPF 313	PROMOTIONAL BANNER	18
	DPF 315	PROMOTIONAL BANNER	18
	DPF 318	PROMOTIONAL BANNER	18
	DPF 350 / DPF 355	BACKLIT IDENTITY SIGNAGE	8
	DPF 380 / DPF 385	BACKLIT IDENTITY SIGNAGE	8
	DPF 390	BACKLIT IDENTITY SIGNAGE	8
OVERLAMINATES	SERIES 3200	SPECIALTY OVERLAMINATES	14
	SERIES 3210	PREMIUM GRAPHIC OVERLAMINATES	12
	SERIES 3220	PREMIUM GRAPHIC OVERLAMINATES	12
	SERIES 3420	PREMIUM GRAPHIC OVERLAMINATES	12
	SERIES 3350	SPECIALTY OVERLAMINATES	14
	SERIES 3590	SPECIALTY OVERLAMINATES	14