



Print Date Oct-29-2015 Revision Date Oct-29-2015 Revision Number

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier Product code Product name Product category

LPAE7898NCIYE Yellow Color Separation Inkjet Ink

Other means of identification Synonyms

Recommended use of the chemical and restrictions on useRecommended usePrinting operations

None

#### Details of the supplier of the safety data sheet

UNITED STATES Nazdar Company 8501 Hedge Lane Terrace Shawnee, KS 66227 Tel: 1-913-422-1888 Tel: 1-800-677-4657 Fax: 1-913-422-2294 www.nazdar.com UNITED KINGDOM Nazdar Limited Barton Road Heaton Mersey Stockport, England SK4 3EG Tel: +44 161 442 2111

### Emergency telephone number

USA: Chemtrec: 1-800-424-9300 Outside USA: Chemtrec: 1-703-527-3887 24 Hour Emergency Phone Number

# 2. HAZARDS IDENTIFICATION

### Classification

Serious eye damage/eye irritation	Category 2 - (H319)
Flammable liquids	Category 3 - (H226)

### Label elements



Warning

#### Hazard Statements

H319 - Causes serious eye irritation H226 - Flammable liquid and vapor

#### **Precautionary Statements**

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

## Hazards not otherwise classified (HNOC)

No information available.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Component	CAS-No	Weight %	Trade Secret	Note
Glycerol	56-81-5	10 - 30	*	
Isopropyl alcohol	67-63-0	1 - 5	*	
Diethylene glycol monobutyl ether	112-34-5	1 - 5	*	

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

#### **Description of first aid measures**

General Advice Eye Contact	Show this safety data sheet to the doctor in attendance. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get medical attention if irritation develops and persists.
Skin Contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Remove contaminated clothing. If irritation (redness, rash, blistering) develops, get medical attention.
Inhalation	Remove person to fresh air and keep comfortable for breathing. If breathing is irregular or stopped, administer artificial respiration. Get medical attention immediately.
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

#### Most important symptoms and effects, both acute and delayed

None under normal use conditions.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

Foam. Carbon dioxide (CO2). Dry chemical. Water spray. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable Extinguishing Media

No information available.

#### Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. May emit toxic fumes under fire conditions.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers / tanks with water spray. Sealed containers may rupture when heated.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Personal Precautions** 

Remove all sources of ignition. Ventilate the area. Avoid contact with eyes, skin and clothing. Avoid breathing dust or vapor. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

#### Environmental precautions

Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. Keep out of drains, sewers, ditches and waterways. Local authorities should be advised if significant spillages cannot be contained.

## Methods and material for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Use clean non-sparking tools to collect absorbed material.

# 7. HANDLING AND STORAGE

# Precautions for safe handling

Handling	Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Ensure adequate ventilation.
Conditions for safe storage, includi	ng any incompatibilities
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep container closed when not in use. Keep out of the reach of children. Do not freeze.
Incompatible Products	Strong acids. Strong bases. Strong oxidizing agents. Reducing agent.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### Exposure limits

Component	ACGIH TLV
Glycerol 56-81-5	TWA: 10 mg/m <sup>3</sup> (mist)
Isopropyl alcohol 67-63-0	TWA: 200 ppm STEL: 400 ppm

Component	OSHA PEL
Glycerol	TWA: 10 mg/m <sup>3</sup> (mist, total particulate)
56-81-5	TWA: 5 mg/m <sup>3</sup> (mist, respirable fraction)
	TWA: 15 mg/m <sup>3</sup> (mist, total particulate)
Isopropyl alcohol	TWA: 400 ppm
67-63-0	TWA: 980 mg/m <sup>3</sup>
	STEL: 500 ppm
	STEL: 1225 mg/m <sup>3</sup>

Component	Ontario TWAEV
Glycerol 56-81-5	TWA: 10 mg/m <sup>3</sup>
Isopropyl alcohol 67-63-0	TWA: 200 ppm STEL: 400 ppm

Component	Mexico OEL (TWA)
Glycerol	TWA/LMPE-PPT: 10 mg/m <sup>3</sup> (mist)
56-81-5	
Isopropyl alcohol	TWA/LMPE-PPT: 400 ppm
67-63-0	TWA/LMPE-PPT: 980 mg/m <sup>3</sup>
	STEL/LMPE-CT: 500 ppm
	STEL/LMPE-CT: 1225 mg/m <sup>3</sup>

### Appropriate engineering controls

#### Engineering Measures

Provide a good standard of general ventilation. Natural ventilation is from doors, windows etc. Controlled ventilation means air is supplied or removed by a powered fan. Users are

advised to consider national Occupational Exposure Limits or other equivalent values. In case of insufficient ventilation, wear suitable respiratory equipment.

### Individual protection measures, such as personal protective equipment

Eye/face Protection	Wear safety glasses with side shields (or goggles). If splashes are likely to occur:. Wear suitable face shield. Ensure that eyewash stations and safety showers are close to the workstation location.
Skin Protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.
Respiratory Protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Wash hands before eating, drinking or smoking. Wash contaminated clothing before reuse. Avoid contact with eyes, skin and clothing. Wear suitable gloves and eye/face protection. Regular cleaning of equipment, work area and clothing is recommended.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical State Odor	Liquid No information available	Appearance Odor Threshold	Colored No information available
<u>Property</u> pH Melting point/freezing point	<u>Values</u>	Remarks • Method No data available No data available	
Boiling point/Boiling Range Flash Point	> 100 °C / 212 °F 55 °C / 131 °F	Setaflash closed cup	
Evaporation rate Flammability Limit in Air		No data available	
Upper flammability limit Lower flammability limit		No data available No data available	
Vapor Pressure		No data available No data available No data available	
Vapor Density Specific Gravity	1.04		
Water Solubility Solubility in other solvents		No data available No data available	
Partition coefficient: n-octanol Autoignition Temperature	/water	No data available No data available	
Decomposition temperature Kinematic viscosity		No data available No data available	
Dynamic viscosity		No data available	
Explosive Properties Oxidizing Properties	No data available No data available		
Other Information			
Photochemically Reactive Weight Per Gallon (Ibs/gal)	No 8.66		
VOC by weight % (less water) 25.28	VOC by volume % (less water) No information available	VOC lbs/gal (less water) 2.19	VOC grams/liter (less water) 262.44
Volatile by weight (including Water) 71.76	Water by weight 63.05	L	

# **10. STABILITY AND REACTIVITY**

### Reactivity

No information available.

#### Chemical stability

Stable under normal conditions.

# Possibility of Hazardous Reactions

None under normal processing.

#### Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition. Do not freeze.

### Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents. Reducing agent.

#### Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors. Carbon dioxide (CO2). Carbon monoxide.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Inhalation	There is no data for this product.
Eye Contact	There is no data for this product.
Skin Contact	There is no data for this product.
Ingestion	There is no data for this product.

Component	Oral LD50
Glycerol	12600 mg/kg (Rat)
56-81-5	
Isopropyl alcohol	4396 mg/kg (Rat)
67-63-0	
Diethylene glycol monobutyl ether	3384 mg/kg (Rat)
112-34-5	

Component	LD50 Dermal
Glycerol 56-81-5	>21900 mg/kg (Rat)
Isopropyl alcohol	12870 mg/kg (Rabbit)
67-63-0 Diethylene glycol monobutyl ether	12800 mg/kg ( Rat ) 2700 mg/kg ( Rabbit )
112-34-5	

Component	Inhalation LC50
Isopropyl alcohol	72.6 mg/L (Rat)4 h
67-63-0	

#### Information on toxicological effects

#### Symptoms

There is no data for this product.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	There is no data for this product.
Eye damage/irritation	There is no data for this product.
Irritation	There is no data for this product.
Corrosivity	There is no data for this product.
Sensitisation	There is no data for this product.
Mutagenic Effects	There is no data for this product.
Reproductive Effects	There is no data for this product.
STOT - single exposure	There is no data for this product.
STOT - repeated exposure	There is no data for this product.

Chronic Toxicity	There is no data for this product
Aspiration hazard	There is no data for this product.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

### Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document ATEmix (oral) 25,551.00 mg/kg

ATEmix (dermal)	32,249.00 mg/kg
ATEmix (inhalation-dust/mist)	1,815.00 mg/l

# **12. ECOLOGICAL INFORMATION**

Ecotoxicity

None known

0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Component	Algae/aquatic plants	
Isopropyl alcohol	72h EC50 Desmodesmus subspicatus: >1000 mg/L	
67-63-0	96h EC50 Desmodesmus subspicatus: >1000 mg/L	
Diethylene glycol monobutyl ether	96h EC50 Desmodesmus subspicatus: >100 mg/L	
112-34-5		
Component	Fish	
Glycerol 56-81-5	96h LC50 Oncorhynchus mykiss: 51 - 57 mL/L [static]	
Isopropyl alcohol	96h LC50 Pimephales promelas: 11130 mg/L [static]	
67-63-0	96h LC50 Pimephales promelas: 9640 mg/L [flow-through] 96h LC50 Lepomis macrochirus: >1400000 µg/L	
Diethylene glycol monobutyl ether	96h LC50 Lepomis macrochirus: 1300 mg/L [static]	
112-34-5		
Component	Crustacea	
Glycerol	24h EC50 Daphnia magna: >500 mg/L	
56-81-5		
lsopropyl alcohol 67-63-0	48h EC50 Daphnia magna: 13299 mg/L	
Diethylene glycol monobutyl ether	24h EC50 Daphnia magna: 2850 mg/L	
112-34-5	48h EC50 Daphnia magna: >100 mg/L	

### Persistence and Degradability

No information available.

### **Bioaccumulation**

No information available.

Component	Partition coefficient
Glycerol	-1.76
56-81-5	
Isopropyl alcohol	0.05
67-63-0	

### Other adverse effects

No information available

# **13. DISPOSAL CONSIDERATIONS**

Waste treatment methods	
Waste Disposal Methods	Contain and dispose of waste according to local regulations.
Contaminated Packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.
	14. TRANSPORT INFORMATION
<u>DOT</u>	Not regulated 49 CFR 173.150(e) - An aqueous solution containing 24 percent or less alcohol by volume and no other hazardous materials is not subject to the requirements of this subchapter if it contains no less than 50 percent water
<u>ICAO / IATA / IMDG / IMO</u>	Not Regulated IATA Special Provision A58 - Aqueous solutions containing 24% or less alcohol by volume is not subject to these regulations IMDG Special Provision 144 - An aqueous solution containing not more than 24% alcohol by volume is not subject to the provisions of this Code

# **15. REGULATORY INFORMATION**

## International Inventories

All components are listed on the TSCA Inventory. For further information, please contact:. Supplier (manufacturer/importer/downstream user/distributor).

## U.S. Federal Regulations

### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Component	CAS-No	Weight %	SARA 313 - Threshold Values
Diethylene glycol monobutyl ether	112-34-5	1 - 5	1.0

# Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following substances which are listed hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act:.

Component	CAS-No	Weight %
Diethylene glycol monobutyl ether	112-34-5	1 - 5

# U.S. State Regulations

Component	Massachusetts Right To Know
Glycerol	Х
56-81-5	
Isopropyl alcohol	Х
67-63-0	

Component	Minnesota Right To Know
Glycerol 56-81-5	Х
Isopropyl alcohol 67-63-0	Х

Component	New Jersey Right To Know
Glycerol 56-81-5	Х

Isopropyl alcohol	Х
67-63-0	
Diethylene glycol monobutyl ether	Х
112-34-5	

Component	Pennsylvania Right To Know
Glycerol 56-81-5	X
Isopropyl alcohol 67-63-0	x
Diethylene glycol monobutyl ether 112-34-5	x

### California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth, or any other reproductive defects

# <u>Canada</u>

Component	NPRI - National Pollutant Release Inventory
Glycerol	Part 4 Substance as set out in Section 65 of the List of Toxic
56-81-5	Substances in Schedule 1 of the Canadian Environmental
	Protection Act, 1999
Isopropyl alcohol	Part 1, Group A Substance
67-63-0	Part 5, Individual Substances Part 4 Substance as set out in
	Section 65 of the List of Toxic Substances in Schedule 1 of the
	Canadian Environmental Protection Act, 1999
Diethylene glycol monobutyl ether	Part 5, Other Groups and Mixtures Part 4 Substance as set out in
112-34-5	Section 65 of the List of Toxic Substances in Schedule 1 of the
	Canadian Environmental Protection Act, 1999

16. OTHER INFORMATION				
HMIS:	Health	Flammability	<b>Reactivity</b>	Personal Protection
	1 *	2	0	X

### Key or legend to abbreviations and acronyms used in the safety data sheet

## Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value

#### ACGIH: (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen
A2 - Suspected Human Carcinogen
A3 - Animal Carcinogen
IARC: (International Agency for Research on Cancer)
Group 1 - Carcinogenic to Humans
Group 2A - Probably Carcinogenic to Humans
Group 2B - Possibly Carcinogenic to Humans
NTP: (National Toxicity Program)
Known - Known Carcinogen
Reasonably Anticipated to be a Human Carcinogen
OSHA: (Occupational Safety & Health Administration)
X - Present

### Revision Date

Oct-29-2015

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless

specified in the text.

End of MSDS